



NEW 5CCT LIGHT KIT  
5CCT: 2700K - 3000K - 4000K - 5000K - 6500K

105 POSSIBLE VARIATIONS

NEW BLADE FINISH

# Alessandra

## Minimal Form with Maximum Efficiency

The thoughtfully crafted and versatile wet location Alessandra will complement any aesthetic and improve the health and comfort of any room. Highly customizable, the Alessandra is available in 5 different body finishes, 6 blade finish options and color changing light kit. Backed by a limited lifetime warranty, our fans are of the highest quality and will dutifully perform for years to come.



*Shown:*

**AK-BRBR-BK-72** Brushed Brass Finish, with 72" Matte Black Blades



**NEW 5CCT LIGHT KIT**

**NEW BLADE FINISH**


*Shown: New Blade Finish*  
**AKLK-MWH-LM-72** Matte White Finish, with 72" Light Maple Tone Blades, and 5CCT Light Kit



**AK-TB-WN-42**  
Textured Bronze Finish,  
with Walnut Tone Blades



**AKLK-MWH-GA-42**  
Matte White Finish,  
with Gray Ash Tone Blades



**AK-BRBR-BW-56**  
Brushed Brass Finish,  
with Barn Wood Tone Blades



**AKLK-BK-BK-56**  
Matte Black Finish,  
with Matte Black Blades













**AK-BN-BN-72**  
Brushed Nickel Finish,  
with Brushed Nickel Blades



**AKLK-BN-WN-72**  
Brushed Nickel Finish,  
with Walnut Tone Blades

## PRODUCT FEATURES

-  5CCT Color Changing Light Kit
-  DC Motor
-  Silent Motor
-  Handheld Remote
-  Accessory Wall Control See page. 132
-  Dimmable Light Kit
-  Wet Location
-  30° 30° Slant Ceiling Canopy
-  60° Optional 60° Slant Mount
-  Unipack Shipping  
*Unipack not available for 72" Blade option*

## FAN FEATURES

- Blades (3)**
  - 13° Pitch
  - ABS Blades
- Overall Drop** 8in / 20cm +  
downrod length
- Fan Weight** 17 lbs
- Downrod Lengths**  
inches: 5, 10, 18, 24, 36, 48,  
60, 72  
centimeters: 13, 25, 46, 61, 92, 122,  
153, 183  
*Field cuttable, Non-threaded*
- Downrod Diameter** 1 inch
- Fan Diameter**
  - 42in / 107cm
  - 56in / 142cm
  - 72in / 183cm
- Voltage** 110


## MOTOR FEATURES

- Motor Type** DC
- Ambience** Silent
- Safety Certification** UL / CUL
- Warranty** Limited Lifetime

## DELIVERED LUMENS

- 2700K** 1063    **5000K** 1221
- 3000K** 1088    **6500K** 1107
- 4000K** 1234

## TECHNICAL SPECIFICATIONS



\*Cuttable to 3in Minimum Downrod, CFM may be impacted

## DOE MOTOR EFFICIENCY DATA

- RPM (Low/High)**
  - 42in** - 50 / 192
  - 56in** - 50 / 138
  - 72in** - 50 / 107
- 5in Downrod CFM (Low/High)**
  - 42in** - 1349 / 5027
  - 56in** - 2436 / 6238
  - 72in** - 4208 / 7407
- 10in Downrod CFM (Low/High)**
  - 42in** - 1349 / 5741
  - 56in** - 2436 / 7259
  - 72in** - 4208 / 8869
- Watts (High)**
  - 42in** - 35.97
  - 56in** - 34.79
  - 72in** - 34.37
- CFM/Watt (High)**
  - 42in** - 168
  - 56in** - 232
  - 72in** - 307

## LIGHT KIT PHOTOMETRICS

- Lamping (Replaceable)**  
Integrated LED
- CRI 90 | Watts 22 | Hours 30,000**
- Dimmable**
- Light Kit Longevity** if used  
6 Hours/Day: 13.7 Years


## SKU BUILDER

- NO LIGHT KIT**  
**AK-XXXX-XXX-XX**  
(Model+Finish+Blade+Diameter)
- LIGHT KIT**  
**AKLK-XXXX-XXX-XX**  
(Model+Finish+Blade+Diameter)

## FAN FINISHES

### 105 POSSIBLE VARIATIONS

- | Fan Finishes             | Blade Finishes |
|--------------------------|----------------|
| Light Kit & No Light Kit | 42" 56" 72"    |



## STANDARD EQUIPMENT

- Downrod** 5in & 10in / 12.7cm & 25cm
- Slant Ceiling Canopy** 30°



### Handheld Remote

- 6 Speed
- Motor Off
- Reverse
- Light on/off
- 5 Temperature Color Changes
- Dimmable Control

\*For more information see accessory page. 132